ILLEGIB	Approved For Betresse 2004/02/1 CENTRAL INTELLIG	ENCE AGRICO	<u> </u>	A002700140001-6
TOUNTRY	Vost Germany Inland Navigation Tanker			DATE DISTR. 3 November 1953
PLACE ACQUIRED PLATE OF PUFO,	25X1A		· · · · · · · · · · · · · · · · · · ·	NO. OF ENCLS. CUSTED BELOW  SUPPLEMENT TO REPORT NO.
<ul> <li>(日本の) (日本の) (日本</li></ul>	S 18510Q - TON AFFECTION THE NETWORK OFFINE STATES THE MEANING OF THE F. P. SECTIONS 795 SCOOL AF PRESSOR. TO TRANSMISSION ON RETELLING THE MEANING OF THE SECOND OF SECOND ON THE SECOND OF SECOND	THIS IS	UNEVAL	LUATED INFORMATION

The following is a list of inland navigation tankers in East Germany as of 21 March 1953:

STAYE X HAVY X NSR9 DISTRIBUTION

MONEY X AIR 3 FBI

25X1A

	Аррко	xed For	Release 200	04/02/19 : Cl/ ~~-	4-RDP80-008	B10A00270	01400 <del>01-6</del>				
Designation	Capacity	<b>ĕ</b> ∵	Lengto	11704	Leight	insty	.caried	etuiters	Se 174	Ul:8s	calpant
1. Powered darges			**************************************		4.4.4	·		The second second second			
Shell i	19	25	14.40	3.55	J.50	0.93	1.45	1.75	سادات ساد		
-chmolke	11	30	16.03	3.55	3.40			•			none
∠ab-1	53	32	20.15	4.60	2,00	0.55				- -	none
Teerchemie	100	25	24, 10	5.26	3.40	U <sub>2</sub> 63			0		
4abel	64	50	27.43	5.09	3,60	0.55	1.40	400			none
2. Towed Surges										• •	110110
i)SU	909	2.0	70.16	10.27	4,50	ن.4ن	دن. چ	9940	. 19 à rimbo mar		4
unit (Jeussch- merikaninche- Petroleum- Jesellschaft)	909	<del>-</del>	73.00	ز0,11	4°×0	للبة ه 0	2,69	4900	regrepurg	-	2 pumps
SAFG	1208		76.66	12,02	4.15	ე.53	2,07	t Oi a is c			•
osc	1149	_	75.21	9.80	5.30						1 քաղ
980	701	-	66,90	8,16	4.50	0.51	1.98	7000		i d	2 pumps i pump ar heating
.bú	561	-	66,80	6.30	4,240	0.41	1.67	6720	"sedebur.		1 puno
ಸಿಽ೮	734	••	67.00	9.04	4,00	ۇز <sub>ە</sub> ن	i.eo		<del>-</del>		
रुख	1227		74,40	11.77	4.70	0,46	2.11		magdeburg	<b>.</b> U	- pump
	1. Powered Birnes  Shell 1 Schmolke  Sab-1 Teerchemie  Label  2. Towed Shrites  Diff (Deutschmerikanische- Petroleum- Jesellschaft)  SAFG  DSG  DSG  DSG  DSG  DSG  DSG	Designation Carrying Capacity  1. Powered Sarges  Shell 1 19 Schmolke 11 Sab-1 53 Tecrchemic 100 Sabel 66 Sabel 66 Sabel 909 Shift (Jeutsch-merikaninche-fetroleum-jeenslischaft)  SARU 1200 SSU 701 SSU 734	Designation Carrying Augustity  1. Powered darges  Jhell 1 19 25 Johnsle 11 30 Jab-1 53 32 Tearchemic 100 25 Jabel 64 50  2. Towed Sarges  JANG 1200 -	Designation Carrying Capacity  1. Powered darges    Jhell i	Designation Capacity 5 tength 12th  1. Powered darges    Jhell i	Designation Charging 4 Length 19th Leight  1. Powered Surges    Jhelii 19 25 14.46 3.95 3.90	Designation Corrying Statement 19th Learner 19th Learner Learn	Designation   Charging   Capacity   Length   L	Designation   Charging   Capacity   Learth   10th   Learth   10th   Learth   10th   Learth   10th   Learth   10th   Learth   10th   1	Designation   Charging   Capacity   Length   L	1.

Approved For Release 2004/02/19 : CIA-RDP80-00810A002700140001-6

25X1A

25X1

Desimation	Carrying Capacity	_ 10	iongth.	idth	Height	Empty	Loaded	Mectoliters	Area	Class	-quipment
usu	619	-	67.15	8.14	4,00	0.51	2,25	<i>4</i> 000 L	traisund	i .;	1 pump
duetgerswerke	95	-	22.54	-5,32	ره, د	9ز.ن	1.49	900 B	erlin	11 8	- pump
sott.	377	4m	35.96	5.05	ب <b>4</b> 04. ز	0.40	2.14	ه ۱۵۵۵ز	erlin	11. 3	- piump

1  $\nu$  - for inland maters only  $\widetilde{l}\widetilde{w}$  - for bays and lagoons